

# 路灯出口案例

Serial number	photo (照片)	size (大小)	details (细节)
4.5米		4500mm	<ol style="list-style-type: none"> <li>1. The main pole of the lamp pole is made of Q235 high quality steel,</li> <li>2. The main pole size: 89 mm to 76 mm Diameter Pole, with decorative ring in the middle,</li> <li>3. The whole pole thickness: 2.0 mm</li> <li>4, the height of the pile under the Lamp Pole: 330 * 700 mm,</li> <li>5 , base material: Aluminum</li> <li>6, Lamp Power: 60 WLED MODULE STREET LAMP</li> <li>7, lamp material: Aluminum,</li> <li>8, lamp transparent surface material:</li> <li>9, lamp glass transparent surface thickness: 5.0 mm</li> <li>10, Lamp Size: 400 * 400 * 800 mm</li> <li>11, lamp chip: American Prius</li> <li>12, White Light, 6000k color temperature</li> <li>13, luminous efficiency: 120LM W</li> <li>14, full lamp height: 4.5 M</li> <li>15, round Flange: 330 * 330mm</li> <li>16, Flange hole distance: 290 * 290mm</li> <li>17, Full Lamp Warranty: 2 Years</li> </ol>
6.5米		6500mm	<ol style="list-style-type: none"> <li>1. The main pole of the lamp post is made of Q235 high quality steel,</li> <li>2, Main Pole Size: 102 mm to 76 mm</li> <li>3, pole under pile height 700 mm</li> <li>4, Lamp Power: 60 WLED STREET LAMP</li> <li>5, Lamp Size: 500 * 500 * 600 mm</li> <li>6, lamp material: Aluminum</li> <li>7, lamp chip: Pri</li> <li>8, White Light, 6000k color temperature</li> <li>9, luminous efficiency: 120 lm/w</li> <li>10, full lamp height: 6.5 M</li> <li>11, Flange: 300 * 300</li> <li>12, Flange Hole Distance: 160 * 160 mm</li> <li>13, full lamp warranty: 2 Years</li> <li>14, waterproof grade: IP65</li> </ol>
6米		6000mm	<ol style="list-style-type: none"> <li>1、 The main pole is made of Q235 high quality steel,</li> <li>2, Main Pole Size: 120 * 60 mm Taper Pole</li> <li>3, main pole thickness: 3.0 mm</li> <li>4, Lamp Power: 36 wled + 24 wled + 18 wled</li> <li>5, 18 W Lamp Size: 138 * 138 mm, 24 w lamp size: 175 * 175 mm, 36 W luminaire dimensions: 175 * 175 MM</li> <li>6, luminaire material: Aluminum</li> <li>7, luminaire Chip: American Prius</li> <li>8, White Light, 6000k color temperature</li> <li>9, luminous efficiency: 120LM/w</li> <li>10, Full Lamp Height: 6M</li> <li>11, Flange: 280 * 280</li> <li>12, Flange Hole Distance: 200 * 200 mm</li> <li>13, full lamp warranty: 2 Years</li> <li>14, waterproof grade: IP65</li> </ol>



Original

1. Products consigned from (Exporter's business name, address, country) SHENZHEN YIHAODI IMPORT AND EXPORT CO., LTD. 813 DEPARTMENT OF HAITIAN, NO. 193-3, PHOENIX ROAD, LUOHU DISTRICT, SHENZHEN, CHINA		Reference No. E195943012050052	
2. Products consigned to (Consignee's name, address, country) BELLREX TRADING UNIT 34F PEARL OF THE ORIENT TOWER, 1240 ROXAS BLVD, BRGY 667 ZONE 072 ERMITA MANILA, PHILIPPINES		<b>ASEAN-CHINA FREE TRADE AREA PREFERENTIAL TARIFF CERTIFICATE OF ORIGIN (Combined Declaration and Certificate)</b>  <b>FORM E</b>  Issued in <u>THE PEOPLE'S REPUBLIC OF CHINA</u> (Country)  See Overleaf Notes	
3. Means of transport and route (as far as known)  Departure date NOV. 13, 2019  Vessel's name / Aircraft etc. ZHONG HANG 905 /9463  Port of Discharge CAGAYAN DE ORO, PHILIPPINES  FROM ZHONGSHAN, CHINA TO CAGAYAN DE ORO, PHILIPPINES BY SEA		4. For Official Use Verification: origin.customs.gov.cn  <input type="checkbox"/> Preferential Treatment Given  <input type="checkbox"/> Preferential Treatment Not Given (Please state reason/s)	
Signature of Authorised Signatory of the Importing Party			
5. Item Number	6. Marks and numbers on packages	7. Number and type of packages, description of products (including quantity where appropriate and HS number in six digit code)	8. Origin criteria (see Overleaf Notes)
1	N/M	STEEL TUBULAR POLES H. S. CODE: 7308.90  TOTAL: SIX HUNDRED AND THIRTY THREE (633) PKGS ONLY. *** ** MANUFACTURER: ZHONGSHAN TAIZETIAN LIGHTING TECHNOLOGY CO., LTD. ADDRESS: 8 / F, BUILDING A, WUSHA SHENGXING INDUSTRIAL PARK, HENGLAN, ZHONGSHAN, GUANGDONG PROVINCE, CHINA	"PE"  45690.00KGS G.W.  QDBJ91108 NOV. 08, 2019
11. Declaration by the exporter The undersigned hereby declares that the above details and statement are correct: that all the products were produced in   and that the products are of the origin specified for these products in the list of goods of origin for the ACFTA for the products exported to (Importing Country) Shenzhen, China, Nov. 18, 2019 Place and date, signature of authorised signatory		12. Certification It is hereby certified, on the basis of control carried out, that the declaration by the exporter is correct.   Place and date, signature and stamp of certifying authority	
13. <input checked="" type="checkbox"/> Issued Retroactively <input type="checkbox"/> Movement Certificate		<input type="checkbox"/> Exhibition <input type="checkbox"/> Third Party Invoicing	

193359964

 青岛博骏国际物流有限公司  
 提单确认件

<b>Shipper :</b> ZHONGSHAN TAIZETIAN LIGHTING TECHNOLOGY CO., LTD. ADDRESS: 8 / F, BUILDING A, WUSHA SHENGXING INDUSTRIAL PARK, HENGLAN, ZHONGSHAN, GUANGDONG PROVINCE		<b>B/L NO:</b> 587995530  <b>箱型:</b> 4*40HQ	
<b>Consignee:</b> SMA IMPORT-EXPORT TRADING ASINAS BLDG. SANDAWA ROAD SIR NEW MATINA BRGY. BUCANA DAVAO CITY 8000 PHILIPPINES CONTACT NUMBER: (082) 296-2250/(082) 295-1872 CONTACT PERSON: CRISTINA AQUINO DTI REGISTRATION NUMBER: 04997201 TIN NUMBER: 167-666-434-000		<b>签单方式:</b> 电放  <b>备注:</b> 1) 此托单请务必以大写英文半角录入, 中文字符标点等会无法正确显示 2) 所有航线都截件重尺, 箱封号, 再有更改将收取改单费。 3) 如做 SW 必须注明, 提交后正本改 SW 有改单费 4) AMS, ENS 截箱封号件重尺, 美线欧线货物请提前用箱	
<b>NOTIFY:</b> PHILIPPINE GBCB MANAGEMENT CORPORATION ADDRESS: 3RD FLOOR. DC INVEST BLDG., C.BANGYOY ST., DAVAO CITY, PHILIPPINES ZIP CODE/POSTAL CODE: 8000 ATTENTION PERSON: RONELYN JANGCO TELEFAX: (082) 296-2250 LOCAL: 103			
<b>船名/航次:</b> HAMMONIA BEROLINA 945S		<b>起运港:</b> ZHONGSHAN	
<b>卸货港:</b>		<b>目的港:</b> CAGAYAN DE ORO, PHILIPPINES	
<b>唛头:</b>		<b>件数:</b> 633 PKGS	
<b>重量:</b> 45690.00KGS		<b>体积:</b> 272.00CBM	
N/M  <b>货堆:</b> <b>STEEL TUBULAR LAMP POST</b>		<b>FREIGHT PREPAID</b>	
<b>备注:</b>		SAY: SIX HUNDRED AND THIRTY-THREE PKGS ONLY.	
<b>签单地:</b> ZHONGSHAN		<b>箱号封号:</b> TRLU6894060/CN9921300 BMOU4180577/CN9921300 CRSU9363317/CN9921310 HASU4119946/CN9921311	
<b>开船日期:</b>			

STEEL TUBULAR POLES



продолгации.

prolongation.

- 13.3. Все Приложения к данному Договору подписываются Сторонами и являются его неотъемлемой частью.
- 13.4. Все переговоры и переписка, имевшие место до подписания настоящего Договора, теряют силу с момента его подписания.
- 13.5. Стороны составили настоящий Договор в двух экземплярах на русском и английском языках (один экземпляр – Продавцу, один – Покупателю), в день и год, указанные выше. Все тексты имеют одинаковую силу.
- 13.6. Настоящий Договор, а также все дополнения и/или Приложения к нему, надлежащим образом подписанные и заключенные посредством факсимильной связи, имеют одинаковую юридическую силу, наравне с оригиналами. Представление оригиналов сторонами обязательно. Оригиналами указанных документов Стороны обмениваются по почте.
- 13.7. Правоотношения Сторон по данному Контракту регулируются действующим законодательством Российской Федерации, а также международными нормами и правилами.
- 13.3. All Appendices to the given Contract shall be signed by the Parties and constitute its integral part.
- 13.4. All negotiations and correspondence having place before signing of the present Contract, shall lose their force from the moment of its signing.
- 13.5. The Parties have executed the present Contract in three original copies, all in the Russian and English languages (one copy for the Seller, another – for the Buyer), on the day and in the year indicated above. All the variants are of equal force.
- 13.6. This Contract, and all amendments and/or Appendices to it, properly signed and concluded by means of facsimile telegraph, shall be deemed legally valid, similarly to their original copies. The representation of the originals by the Parties is obligatory. The Parties shall interchange of the original copies of the mentioned documents by mail.
- 13.7. The legislation of the Russian Federation and also international laws and rules is applicable to the relations of the Parties under this Contract.

#### СТАТЬЯ 14

##### ЮРИДИЧЕСКИЕ АДРЕСА СТОРОН:

###### ПРОДАВЕЦ:

Taizetian Lighting Technology Co., Ltd.  
Address: building a, Shengxing Industrial  
Park, Wusha, Henglan, Zhongshan,  
Guangdong  
Receiving bank;  
Agricultural Bank of China Zhongshan  
Guzhen dengdu Huating sub branch  
Bank address: dengdu Huating, Zhongshan  
ancient town, Guangdong, China  
Name of beneficiary:  
Taizetian Lighting Technology Co., Ltd  
Account No.: 6230520100013284175  
Bank Code: abocnbnj190  
Tel: 15113343190

###### ПОКУПАТЕЛЬ

ООО «АвтоСпецСтрой»

Юридический адрес: 690013, г. Владивосток,

ул. Ш

Тел:

Е-ма

Рас.с

в ПА

г. Вла

Кор.с

БИК

ИНН

КПП

ОКП

/The Seller / Продавец/

«АВТОСПЕЦСТРОЙ»

#### CLAUSE 14

##### LEGAL ADDRESSES OF THE PARTIES:

###### THE SELLER:

Taizetian Lighting Technology Co., Ltd.  
Address: building a, Shengxing Industrial  
Park, Wusha, Henglan, Zhongshan,  
Guangdong  
Receiving bank;  
Agricultural Bank of China Zhongshan  
Guzhen dengdu Huating sub branch  
Bank address: dengdu Huating, Zhongshan  
ancient town, Guangdong, China  
Name of beneficiary:  
Taizetian Lighting Technology Co., Ltd  
Account No.: 6230520100013284175  
Bank Code: abocnbnj190  
Tel: 15113343190

###### THE BUYER:

ООО «АвтоСпецСтрой»

Юридический адрес: 8, 32-35, Shepetkova str.,

Vlad

Тел:

Е-м

Рас.

в ПА

г. Вла

Кор.

БИК

ИНН

КПП

ОКП

/Покупатель / The Buyer/

«АВТОСПЕЦСТРОЙ»



ПОДПИСИ СТОРОН:  
ПРОДАВЕЦ / SELLER:

(подпись, печать) (seal, signature)

PARTIES' SIGNATURES:


ПОКУПАТЕЛЬ / BUYER:

For and on behalf of the seller:


(подпись, печать) (seal, signature)

/The Seller / Продавец/

/Покупатель / The Buyer/



6米高款



6.5米高款